

FALL FOOTWEAR

2020

carhartt



TABLE OF CONTENTS

| | | | |
|---|----|--|----|
| TECHNOLOGY | 1 | FORCE BOOTS | 30 |
| INSITE® TECHNOLOGY FOOTBED | 2 | COMFORT HIKERS WITH INSITE® TECHNOLOGY | 34 |
| GROUND FORCE BOOTS | 4 | MADE IN USA | 38 |
| RUGGED FLEX BOOTS. | 8 | CLASSIC WELT BOOTS | 40 |
| MET GUARD BOOTS | 12 | WORK WEDGE BOOTS. | 44 |
| PUNCTURE RESISTANT BOOT | 14 | ROMEOS AND WORK OXFORD. | 46 |
| PAC BOOT | 16 | CASUAL WEDGES | 47 |
| WOODWORKS CLIMBING BOOTS. | 18 | WOMENS BOOTS. | 48 |
| HERITAGE BOOTS | 20 | POP AND MARKETING | 50 |
| RUGGED FLEX SQUARE TOE WELLINGTON | 24 | BANNER ADS AND EMAIL BLAST TEMPLATES | 52 |
| MUDRUNNER RUBBER BOOTS | 26 | | |

STYLE AND PAGE INDEX

***NEW STYLE FOR FALL 2020**

| Style Number | Page | Style Number | Page | Style Number | Page | Style Number | Page | Style Number | Page | Style Number | Page |
|----------------|-----------|----------------|----------|--------------|------|--------------|------|--------------|------|--------------|------|
| CMA3421 | 32 | CME8347 | 7 | CMH4251 | 37 | CMP1208 | 25 | CMW6095 | 45 | CMX4033 | 43 |
| CMA6026 | 32 | CME8355 | 6 | CMH4480 | 36 | CMP1218 | 25 | CMW6120 | 22 | CMZ6040 | 39 |
| CMA6421 | 32 | CMF1391 | 10 | CMH4481 | 36 | CMP1258 | 25 | CMW6174 | 42 | CMZ6340 | 39 |
| CMA6425 | 32 | CMF1721 | 13 | CMI9000 | 2 | CMP1259 | 23 | CMW6175 | 5 | CMZ8040 | 39 |
| CMC1259 | 17 | CMF6056 | 11 | CML8360 | 19 | CMP1270 | 23 | CMW6190 | 43 | CMZ8340 | 39 |
| CMD3060 | 33 | CMF6066 | 10 | CML8369 | 19 | CMP1453 | 43 | CMW6191 | 45 | CWF5355 | 49 |
| CMD3441 | 33 | CMF6284 | 9 | CMO3065 | 37 | CMR6971 | 14 | CMW6197 | 43 | CWH4120 | 49 |
| CMD3461 | 33 | CMF6356 | 11 | CMO3181 | 37 | CMR8939 | 14 | CMW6220 | 22 | CWH4420 | 49 |
| CME1355 | 7 | CMF6366 | 10 | CMO3251 | 37 | CMR8959 | 15 | CMW6264 | 42 | CWP1150 | 49 |
| CME6047 | 7 | CMF6371 | 10 | CMO3461 | 37 | CMS4100 | 46 | CMW6274 | 42 | CWP1151 | 49 |
| CME6055 | 6 | CMF6380 | 11 | CMO3465 | 37 | CMS4190 | 46 | CMW6275 | 45 | CWP1250 | 49 |
| CME6347 | 7 | CMF6720 | 13 | CMO3481 | 36 | CMS4191 | 46 | CMW6295 | 45 | | |
| CME6351 | 6 | CMF8058 | 11 | CMP1053 | 43 | CMS4200 | 46 | CMW6297 | 43 | | |
| CME6354 | 6 | CMF8389 | 11 | CMP1100 | 22 | CMV1121 | 29 | CMW8100 | 22 | | |
| CME6355 | 6 | CMF8720 | 13 | CMP1108 | 25 | CMV1151 | 29 | CMW8200 | 22 | | |
| CME8047 | 7 | CMH4180 | 36 | CMP1200 | 22 | CMV1451 | 29 | CMX4023 | 43 | | |



ICS Shoes

Voice: (877) 553-5544















Email: info@icsShoes.com

Website: www.icsShoes.com

THE CARHARTT DIFFERENCE

Since 1889, Carhartt has manufactured premium workwear known for exceptional durability, comfort, and quality that you can feel in the materials and see in the performance. Just as our founder, Hamilton Carhartt, began four generations ago, Carhartt will continue to manufacture the most rugged and durable clothing and footwear for generations to come.

As a choice brand for those who work and play outdoors, Carhartt is proud to serve a variety of workers in many industries including construction and manufacturing along with farmers, ranchers, and outdoor enthusiasts. Your customers will enjoy our footwear and the technologies we use for the performance they want.

| Icon | Feature | Performance |
|---|--|---|
|  | Nano Composite Toe | Identifies protection against impact and compression hazards with a Nano Composite Toe (non-metallic) safety toe. Nano Composite safety toe styles meet ASTM 2413-18 standards. |
|  | Steel Toe | Identifies protection against impact and compression hazards with a steel safety toe. Steel toe styles meet ASTM 2413-18 standards. |
|  | Composite Toe | Identifies protection against impact and compression hazards with a composite (non-metallic) safety toe. Composite toe styles meet ASTM 2413-18 standards. |
|  | Metatarsal Guard | Identifies protection against impact and compression hazards to the top of the foot with a metatarsal guard. Metatarsal styles meet ASTM 2413-18 standards. |
|  | Electrical Hazard | Identifies secondary protection against incidental contact with electrical circuits of 18,000 volts or less under dry conditions. EH styles meet ASTM F2413-18 EH standards for safety toe footwear and ASTM F2892-18 for non-safety toe styles. |
|  | Puncture Resistant & CSA | Identifies protection against puncture hazards to the bottom of the foot with a puncture resistant plate. Puncture Resistant styles must meet ASTM 2413-18 standards. CSA Grade 1 toe protection and CSA electrical shock resistance of 18KV under dry conditions. |
|  | Storm Defender® Waterproof Breathable Protection | These shoes are designed to be completely waterproof and to keep your feet dry in most types of wet conditions. A waterproof and breathable membrane is used to keep your feet dry but promote air flow and circulation. |
|  | Insulation | These shoes are designed to keep your feet warm in most types of cold conditions. The two type of insulating barriers used in Carhartt Footwear are LiteFire® and 3M™ Thinsulate™. LiteFire® is an aluminum based waterproof and breathable membrane that reflects body heat equivalent to 400, 600, 800 or 1000 grams of traditional insulation without the weight or bulk. 3M™ Thinsulate™ is a microfiber that insulates boots by trapping air molecules between you and the outside. 400 and 600 grams is used for cold conditions or moderate activity levels. |
|  | Heel Guard | The Carhartt Heel Guard feature is designed to provide ankle stability, side impact protection and heel protection durability. |
|  | Heel Stabilizer | The Carhartt Heel Stabilizer feature is designed to provide ankle stability and heel protection durability. |
|  | FastDry® Technology Lining | FastDry® lining wicks away sweat for comfort. |
|  | Insite® Technology Footbed | Carhartt® footbed made with Insite® technology is engineered to create maximum arch support to reduce foot fatigue during long days on the job. |
|  | Cushion Comfort Insole | Carhartt insole provides comfortable support and reduces foot fatigue. |
|  | Outsole | Carhartt outsoles provide performance for the intended work and environment. |
|  | Static Dissipative | SD shoes reduce the risk of static shock to people and to the manufactured product in the workplace. Meets the ASTM F2413-18 SD 35 |



CARHARTT FOOTBEDS

END THE DAY AS STRONG AS YOU STARTED

COMFORT REDEFINED

Engineered cushion comfort to make sure you can focus on the job at hand, not your feet. From heat to cold and dry to wet, we have you covered 24/7.


CARHARTT FOOTBEDS

INSITE® ENGINEERED FOOTBED

CAD designed footbed based on 120,000 3D foot scans for fit, form and comfort



AX™ SUEDE TOP COVER MATERIAL
Provides 30% more grip to reduce foot slip in boot that creates heat and fatigue



PULSION® ENERGY REBOUND FOAM
Pulsion® foam is engineered for maximum rebound to prevent fatigue during prolonged use

SINGLE DENSITY PU FOAM
Specifically chosen for its compression set and ability to work with Pulsion foam



TETRAPOD TECHNOLOGY
Unique tetrapod design disperses compression in multiple directions while maintaining its shape



Insite Technology Footbeds CM19000

SIZES 8, 9, 10, 11, 12, 13, 14, 15

A person is standing on a metal platform, possibly a truck bed or a workbench. The platform is supported by two large, black tires. The person is wearing a dark shirt and light-colored pants. The background is blurred, showing some lights and structures, suggesting an outdoor work environment. The text is overlaid on the image.

GROUND FORCE BOOTS
**WHEN YOU WANT YOUR
JOB TO BE THE FOCUS,
NOT YOUR FEET**

Carhartt Insite® Technology footbeds feels like a custom orthotic in your boot

Storm Defender® waterproof and insulated styles to keep your feet warm and dry

FastDry® lining wicks away sweat



GROUND FORCE OUTSOLE

DURABLE TRACTION INSIDE OR OUT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | | ● |
| HEAT RESISTANCE | | | ● |
| SLIP RESISTANCE | | | ● |

Performance chart is suggested for the intended environment.

GROUND FORCE WORK BOOTS



Men's 6-Inch Waterproof Work Boot

Composite Toe - CME6355
Non-Safety - CME6055

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force outsole.
- FEATURES** EVA midsole with dual foam Insite® Technology footbed. Molded rubber toe bumper with abrasion resistant rubber heel. Storm Defender® waterproof breathable membrane. Imported.



Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 6-Inch Waterproof Work Boot

Composite Toe - CME6351

- UPPER** Black oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force™ outsole.
- FEATURES** EVA midsole with dual foam Insite® Technology footbed. Molded rubber toe bumper with abrasion resistant rubber heel. Storm Defender® waterproof breathable membrane. Imported.



Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 6-Inch Work Boot

Composite Toe - CME6354

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force outsole.
- FEATURES** EVA midsole with Insite® Technology footbed. Abrasion resistant rubber heel. Imported.



Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 8-Inch Waterproof Work Boot

Composite Toe - CME8355

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force outsole.
- FEATURES** EVA midsole with dual foam Insite® Technology footbed. Molded rubber toe bumper with abrasion resistant rubber heel. Storm Defender® waterproof breathable membrane. Imported.



Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



GROUND FORCE WORK BOOTS

NEW Men's 6-Inch Waterproof Work Boot

Composite Toe - CME6347
Non-Safety - CME6047

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force™ outsole.
- FEATURES** EVA midsole with dual foam Insite® Technology footbed.
Abrasion resistant rubber heel.
Storm Defender® waterproof breathable membrane Imported.



Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



NEW Men's 8-Inch Insulated Waterproof Work Boot

Composite Toe - CME8347
Non-Safety - CME8047

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force™ outsole.
- FEATURES** EVA midsole with dual foam Insite® Technology footbed.
Abrasion resistant rubber heel.
Storm Defender® waterproof breathable membrane and 600g 3M™ Thinsulate™ insulation.
Imported.



Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 10-Inch Waterproof Pull On Work Boot

Composite Toe - CME1355

- UPPER** Brown oil tanned leather with abrasion resistant Carstrong® durable fabric.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force outsole.
- FEATURES** EVA midsole with dual foam Insite® Technology footbed.
Molded rubber toe bumper with abrasion resistant rubber heel.
Storm Defender® waterproof breathable membrane.
Imported.



Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15





RUGGED FLEX® BOOTS

**IF YOU CAN'T QUIT,
YOUR BOOTS
CAN'T EITHER**

Storm Defender® waterproof and insulated styles to keep your feet warm and dry

FastDry® lining wicks away sweat

Cushion comfort foam footbeds for all day comfort

NEW Men's 6-Inch Work Boot

Steel Toe - CMF6284



- UPPER** Brown leather with Carstrong® durable fabric.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad.
PU with foam cushion comfort insoles.
FastDry® technology wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



RUGGED FLEX RUBBER OUTSOLE

HEAT, ABRASION AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | | ● |
| HEAT RESISTANCE | | | ● |
| SLIP RESISTANCE | | | ● |

Performance chart is suggested for the intended environment.

RUGGED FLEX® BOOTS



Men's 6-Inch Work Boot

Composite Toe - CMF6366
Non-Safety - CMF6066

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad.
PU with foam cushion insoles.
FastDry® technology wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 6-Inch Waterproof Work Boot

Composite Toe - CMF6371

- UPPER** Black oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.
Rubber toe and heel bumper.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Women's 6-Inch Work Boot

Composite Toe - CWF5355

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA custom fit removable inserts.
PU with foam cushion insoles.
FastDry® technology wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM/WIDE 6-10, 11
MULTI-FIT



Men's 10-Inch Waterproof Pull-On

Composite Toe - CMF1391

- UPPER** Brown oil tanned leather, Neoprene shaft and Black PU coated leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad.
PU with foam cushion insoles.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



**Men's 6-Inch
Waterproof Work Boot**

Composite Toe - CMF6380

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.
Rubber toe and heel bumper.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH

- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



**Men's 8-Inch
Waterproof Insulated Work Boot**

Composite Toe - CMF8389

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.
Rubber toe and heel bumper.
Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
Imported.

Safety Toe ASTM F2413-18 EH

- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



**Men's 6-Inch
Waterproof Work Boot**

Composite Toe - CMF6356
Non-Safety - CMF6056

- UPPER** Wheat oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.
Rubber toe and heel bumper.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15




**Men's 8-Inch
Waterproof Insulated Work Boot**

Non-Safety - CMF8058

- UPPER** Wheat oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.
- FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.
Rubber toe and heel bumper.
Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
Imported.

Soft Toe ASTM F2892-18 EH

- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15





MET GUARD WORK BOOTS **PUTS SAFETY FIRST** **WHEN IT COMES** **TO YOUR FEET**

Storm Defender® waterproof keeps feet dry but lets them breathe

Poron® XRD® internal met guard flexes with your foot and instantly “freezes” upon impact providing superior protection

Cushion comfort foam footbeds for all day comfort

**PORON® XRD® INTERNAL
MET GUARD EXTREME
IMPACT PROTECTION**

MET GUARD WORK BOOTS EXTRA PROTECTION

Men's 6-Inch Waterproof Internal Met Guard Boot

Composite Toe, MT - CMF6720

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.**
**OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- FEATURES** Storm Defender® waterproof breathable membrane.
Reflective material high visibility piping.
Poron® XRD® soft comfort internal metatarsal guard.
Imported.

Safety Toe ASTM F2413-18 EH, MT

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 8-Inch Waterproof Internal Met Guard Boot

Composite Toe, MT - CMF8720

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.**
**OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- FEATURES** Storm Defender® waterproof breathable membrane.
Reflective material high visibility piping.
Poron® XRD® soft comfort internal metatarsal guard.
Imported.

Safety Toe ASTM F2413-18 EH, MT

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 11-Inch Waterproof Internal Met Guard Boot

Composite Toe, MT - CMF1721

- UPPER** Brown oil tanned leather with black PU coated leather.
- OUTSOLE** Cement constructed with Carhartt rubber Rugged Flex® outsole.**
**OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- FEATURES** Storm Defender® waterproof breathable membrane.
Reflective material high visibility piping.
Poron® XRD® soft comfort internal metatarsal guard.
Imported.

Safety Toe ASTM F2413-18 EH, MT

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15





EXTREME PUNCTURE-RESISTANT WORK BOOTS WITH SWEN-FLEX[®] PR PLATES

The Swen-Flex[®] PR Plate is engineered to deliver maximum puncture resistance in a very flexible and durable material.

EXTREME PUNCTURE-RESISTANT WORK BOOT

Men's 8-Inch Ground Force Waterproof Insulated CSA Work Boot

Composite Toe - CMR8959
Swen-Flex® PR Plate

- UPPER** Black oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force™ outsole.**
**OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 5
- FEATURES** EVA midsole with dual foam Insite® Technology footbed.
Molded rubber toe bumper with abrasion resistant rubber heel.
Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
Imported.



CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH

SIZES WIDE 8-12, 13, 14, 15



Men's 8-Inch Rugged Flex® Waterproof Insulated CSA Boot

Composite Toe - CMR8939
Swen-Flex® PR Plate

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force™ outsole.**
**OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.
Rubber toe bumper.
PU with foam cushion insoles.
Storm Defender® waterproof breathable membrane and 400g 3M™ Thinsulate™ insulation.
Imported.

CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH

SIZES WIDE 8-12, 13, 14, 15




Men's 6-Inch Rugged Flex® Waterproof CSA Work Boot

Composite Toe - CMR6971
Swen-Flex® PR Plate

- UPPER** Black oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber Ground Force™ outsole.**
**OUTSOLE PERFORMANCE CHART CAN BE FOUND ON PAGE 9
- FEATURES** EVA midsole with PU strobel pad and PU with foam cushion insole.
Rubber toe and heel bumper.
Storm Defender® waterproof breathable membrane.
Imported.

CSA Grade 1 ST, PR Electrical Shock and ASTM 2413-18 PR, EH

SIZES WIDE 8-12, 13, 14, 15





YUKON PAC BOOT

KICK COLD IN ITS FROSTY LITTLE TEETH

1000 LITEFIRE® INSULATION

Storm Defender® waterproof keeps feet dry but lets them breathe

Insulated to keep your feet warm

Foam cushion insole with EVA custom fit removeable insert

**Men's 10-Inch
Waterproof Insulated Pac Boot**

Composite Toe - CMC1259



- UPPER** Brown oil tanned leather with Black PU coated abrasion resistant leather.
- OUTSOLE** Cement constructed Carhartt rubber outsole.
- FEATURES** Foam cushion insole with TPU arch support and EVA custom fit removable insert. TPU heel guard with achilles flex joint. Molded rubber toe bumper. Storm Defender® waterproof breathable membrane and 1000 LiteFire® insulation. Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM/WIDE 8-12, 13, 14, 15
MULTI FIT



RUGGED FLEX RUBBER OUTSOLE

HEAT, ABRASION AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | | ● |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.



**WOODWORKS
CLIMBING BOOTS**

**GAIN THE UPPER HAND
WHEREVER YOU SET
YOUR FEET**

Storm Defender® waterproof keeps feet dry but lets them breathe

Insulated style to keep your feet warm

Cushion comfort foam footbeds for all day comfort

WOODWORKS CLIMBING BOOTS

Men's 8-Inch Waterproof Climbing Boot

Composite Toe - CML8360

- UPPER** Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.
- OUTSOLE** Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- FEATURES** PU strobel pad with PU cushion insoles.
TPU heel stabilizer with achilles flex joint.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 8-Inch Waterproof Insulated Climbing Boot

Composite Toe - CML8369

- UPPER** Vintage saddle oil tanned leather and abrasion resistant Carstrong® durable fabric.
- OUTSOLE** Goodyear welt construction with Carhartt WoodWorks rubber outsole.
- FEATURES** PU strobel pad with PU cushion insoles.
TPU heel stabilizer with achilles flex joint.
Storm Defender® waterproof breathable membrane and 600g 3M™
Thinsulate™ insulation.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



OPEN EDGE MUD RELEASE LUGS

FOR TRACTION

LADDER LOCK GRIPS WITH REINFORCED STEEL SHANK

90 DEGREE HEELS ARE PERFECT FOR CLIMBING

CARHARTT WOODWORKS RUBBER OUTSOLE

DURABLE FOR ANYTHING THE WEATHER THROWS AT YOU

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | | ● |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.



The image shows two construction workers in a factory or industrial setting. They are both wearing red hard hats, safety glasses, and large black ear muffs. The worker on the left is wearing a plaid shirt and tan work pants, while the worker on the right is wearing a dark green jacket and tan work pants. They are standing on a metal structure, possibly a staircase or platform, and appear to be in conversation. The background is filled with industrial machinery and pipes.

HERITAGE WORK BOOTS

ICONIC BOOTS FOR TIME-HONORED WORK

Storm Defender® waterproof and insulated styles to keep your feet warm and dry

Supportive heel guard stabilizes the foot inside the boot

Cushion comfort foam footbeds for all day comfort



POLYURETHANE OUTSOLES

OIL, CHEMICAL AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

LADDER LOCK GRIPS AND STEEL SHANKS

PERFECT BOOT FOR CLIMBING

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | | ● |
| CHEMICAL RESISTANCE | | | ● |
| ABRASION RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.
Polyurethane outsoles are not tested for heat resistance.

HERITAGE WORK BOOTS



Men's 6-Inch Waterproof Work Boot

Steel Toe - CMW6220
Non-Safety - CMW6120

- UPPER** Brown oil tanned leather.
- OUTSOLE** Direct attached welt construction with dual density PU Carhartt CORE outsole.
- FEATURES** PU strobrel pad with PU cushion insoles.
 TPU heel guard with achilles flex joint.
 Storm Defender® waterproof breathable membrane.
 Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 8-Inch Waterproof Work Boot

Steel Toe - CMW8200
Non-Safety - CMW8100

- UPPER** Brown oil tanned leather.
- OUTSOLE** Direct attached welt construction with dual density PU Carhartt CORE outsole.
- FEATURES** PU strobrel pad with PU cushion insoles.
 TPU heel guard with achilles flex joint.
 Storm Defender® waterproof breathable membrane.
 Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 11-Inch Waterproof Wellington

Steel Toe - CMP1200
Non-Safety - CMP1100

- UPPER** Brown oil tanned leather and abrasion resistant Carstrong® durable fabric.
- OUTSOLE** Direct attached welt construction with dual density PU Carhartt CORE outsole.
- FEATURES** PU strobrel pad with PU cushion insoles.
 TPU heel guard with achilles flex joint.
 Storm Defender® waterproof breathable membrane.
 Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



**Men's 11-Inch
Waterproof Insulated Wellington**

Steel Toe - CMP1259

- UPPER** Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and black PU coated leather.
- OUTSOLE** Direct attached welt construction with dual density PU Carhartt CORE outsole.
- FEATURES** PU strobel pad with PU cushion insoles.
TPU heel guard with achilles flex joint.
Storm Defender® waterproof breathable membrane and 400 LiteFire® insulation.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



**Men's 11-Inch
Waterproof Wellington**

Steel Toe - CMP1270

- UPPER** Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and brown PU coated leather.
- OUTSOLE** Direct attached welt construction with dual density PU Carhartt CORE outsole.
- FEATURES** PU strobel pad with PU cushion insoles.
TPU heel guard with achilles flex joint.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



RUGGED FLEX[®] SQUARE TOE BOOTS

TOES OF STEEL FOR MEN OF METTLE

Storm Defender[®] waterproof style keeps feet dry but lets them breathe

FastDry[®] lining wicks away sweat

Steel or soft toe with room to move your toes

DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | | ● |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.

RUGGED FLEX® SQUARE TOE WELLINGTONS

Men's 11-Inch Square Toe Wellington

Steel Toe - CMP1208
Non-Safety - CMP1108

- UPPER** Dark brown oil tanned leather and abrasion resistant Carstrong® durable fabric.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU strobrel pad with PU cushion insoles. FastDry® technology wicks away sweat. Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



FASTDRY LINING



CUSHION COMFORT INSOLE



RUBBER OUTSOLE



ELECTRICAL HAZARD



Men's 11-Inch Square Toe Waterproof Wellington

Steel Toe - CMP1258

- UPPER** Brown oil tanned leather, abrasion resistant Carstrong® durable fabric and Black PU coated leather.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU strobrel pad with PU cushion insoles. Storm Defender® waterproof breathable membrane. Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



STORM DEFENDER



FASTDRY LINING



CUSHION COMFORT INSOLE



RUBBER OUTSOLE



ELECTRICAL HAZARD



Men's 11-Inch Square Toe Wellington

Steel Toe - CMP1218

- UPPER** Two tone brown oil tanned leather.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU strobrel pad with PU cushion insoles. FastDry® technology wicks away sweat. Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



FASTDRY LINING



CUSHION COMFORT INSOLE



RUBBER OUTSOLE



ELECTRICAL HAZARD





MUDRUNNER BOOTS

ENGINEERED TO STAY DRY

AND KEEP YOU STANDING TALL

Full and half sizes for a true fit

Waterproof rubber and neoprene to keep your feet dry and warm

Carhartt Insite® Technology footbeds feels like a custom orthotic in your boot



DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

LADDER LOCK GRIPS

PERFECT BOOT FOR CLIMBING

SHALLOW TREAD

DESIGNED TO RELEASE MUD AND DIRT

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | | ● |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.

MUDRUNNER BOOTS



CARHARTT FOOTBED



- ✓ MAXIMUM ARCH SUPPORT
- ✓ ENGINEERED FOAM FOR CUSHION COMFORT
- ✓ REDUCES FOOT FATIGUE
- ✓ FEELS LIKE A CUSTOM ORTHOTIC BUILT RIGHT INTO YOUR WORKBOOT

VULCANIZED RUBBER BOOTS

Men's 10-Inch Waterproof Rubber Boot

Non-Safety - CMV1121

- UPPER** Black rubber and neoprene.
- OUTSOLE** Vulcanized construction with Carhartt rubber compound.
- FEATURES** Supportive Insite® Technology footbed. Waterproof neoprene upper. Imported.

Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15



Men's 15-Inch Waterproof Rubber Boot

Nano Composite Toe - CMV1451

Non-Safety - CMV1151


- UPPER** Black rubber and neoprene.
- OUTSOLE** Vulcanized construction with Carhartt rubber compound.
- FEATURES** Supportive Insite® Technology footbed. Waterproof neoprene upper. Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 7, 8, 9, 9.5, 10, 10.5, 11, 11.5, 12, 13, 14, 15



OUTSOLE FEATURES AND BENEFITS



A construction worker wearing a blue hard hat and a blue Carhartt long-sleeved shirt is leaning over a large blue rope on a ship's deck. The worker is wearing brown work pants and black safety boots. In the background, there is a red structure with the text "SQB - Enterprise Bob Frame" and a yellow crane. The sky is overcast.

FORCE WORK BOOTS
FEELS LIKE A SNEAKER
= WORKS =
LIKE A BOOT

Storm Defender® waterproof styles keeps feet dry but lets them breathe

Nano composite safety toe style for lightweight protection

Carhartt Insite® Technology footbeds feels like a custom orthotic in your boot



RUBBER OUTSOLE

DURABLE TRACTION

SLIP RESISTANT TREAD

PATTERN TO KEEP YOU ON YOUR FEET

FLAT SURFACE WEDGE

FOR MAXIMUM SURFACE CONTACT

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | ● | |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | | ● |

Performance chart is suggested for the intended environment.

FORCE WORK BOOTS



NEW Men's 6-Inch Waterproof Work Boot

Nano Composite Toe - CMA6421

- UPPER** Black abrasion resistant leather and nylon.
- OUTSOLE** Cement construction with Carhartt rubber Force outsole.
- FEATURES** Revolutionary light and high rebound EVA midsole with PU strobil pad with Insite® Technology footbed.
Storm Defender® waterproof breathable membrane.
FastDry® technology lining wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



NEW Men's 6-Inch Waterproof Work Boot

Nano Composite Toe - CMA6425

- UPPER** Espresso abrasion resistant leather and nylon.
- OUTSOLE** Cement construction with Carhartt rubber Force outsole.
- FEATURES** Revolutionary light and high rebound EVA midsole with PU strobil pad with Insite® Technology footbed.
Storm Defender® waterproof breathable membrane.
FastDry® technology lining wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



NEW Men's 6-Inch Waterproof Work Boot

Non-Safety - CMA6026

- UPPER** Coyote abrasion resistant leather and nylon.
- OUTSOLE** Cement construction with Carhartt rubber Force outsole.
- FEATURES** Revolutionary light and high rebound EVA midsole with PU strobil pad with Insite® Technology footbed.
Storm Defender® waterproof breathable membrane.
FastDry® technology lining wicks away sweat.
Imported.

Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



NEW Men's Low Work Shoe

Nano Composite Toe - CMA3421

- UPPER** Black abrasion resistant leather and nylon.
- OUTSOLE** Cement construction with Carhartt rubber Force outsole.
- FEATURES** Revolutionary light and high rebound EVA midsole with PU strobil pad with Insite® Technology footbed.
FastDry® technology lining wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



NEW Men's SD Work Shoe

Nano Composite Toe - CMD3441

- UPPER** Black lightweight flyknit upper with abrasion resistant heel and toe.
- OUTSOLE** Cement construction with Carhartt rubber Force outsole.
- FEATURES** Revolutionary light and high rebound EVA midsole with PU strobel pad with Insite® Technology footbed.
FastDry® technology lining wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 SD 35

- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



NEW Men's SD Work Shoe

Nano Composite Toe - CMD3461

- UPPER** Black lightweight flyknit upper with grey lycra stretch collar and abrasion resistant heel and toe.
- OUTSOLE** Cement construction with Carhartt rubber Force outsole.
- FEATURES** Revolutionary light and high rebound EVA midsole with PU strobel pad with Insite® Technology footbed.
FastDry® technology lining wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 SD 35

- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



NEW Men's SD Work Shoe

Non-Safety - CMD3060

- UPPER** Black lightweight flyknit upper with gold lycra stretch collar and abrasion resistant heel and toe.
- OUTSOLE** Cement construction with Carhartt rubber Force outsole.
- FEATURES** Revolutionary light and high rebound EVA midsole with PU strobel pad with Insite® Technology footbed.
FastDry® technology lining wicks away sweat.
Imported.

Soft Toe ASTM F2892-18 SD 35

- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15





COMFORT WORK HIKERS

EXTRA GRIP TO HOLD YOUR GROUND

Storm Defender® waterproof styles keeps feet dry but lets them breathe

Nano composite safety toe styles for lightweight protection

Carhartt Insite® Technology footbeds feels like a custom orthotic in your boot



DURABLE RUBBER OUTSOLE

TRACTION IN ANYTHING THE WEATHER THROWS AT YOU

SHALLOW LUGS

RELEASE MUD AND DIRT

LIQUID DISPERSION CHANNELS

FOR OUTDOOR WORK ENVIRONMENT

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | ● | |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.

COMFORT WORK HIKERS



Men's Lightweight Waterproof Work Hiker

Nano Composite Toe - CMH4480
Non-Safety - CMH4180

- UPPER** Brown leather with brown nylon.
OUTSOLE Cement Constructed with Carhartt rubber outsole and CMEVA midsole.
FEATURES PU strobrel pad with Insite® Technology footbed.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's Lightweight Waterproof Work Hiker

Nano Composite Toe - CMH4481

- UPPER** Black leather with black nylon.
OUTSOLE Cement Constructed with Carhartt rubber outsole and CMEVA midsole.
FEATURES PU strobrel pad with Insite® Technology footbed.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's Lightweight Low Waterproof Work Hiker

Nano Composite Toe - CM03481
Non-Safety - CM03181

- UPPER** Black leather with black nylon.
OUTSOLE Cement Constructed with Carhartt rubber outsole and CMEVA midsole.
FEATURES PU strobrel pad with Insite® Technology footbed.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's Comfort Work Shoe

Nano Composite Toe - CM03461

- UPPER** Black oil tanned leather.
- OUTSOLE** Cement Constructed with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU strobrel pad with Insite® Technology footbed.
Fastdry lining.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15




Men's Comfort Work Shoe

Nano Composite Toe - CM03465
Non-Safety - CM03065

- UPPER** Brown suede.
- OUTSOLE** Cement Constructed with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU strobrel pad with Insite® Technology footbed.
Fastdry lining.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's Comfort Work Hiker

Steel Toe - CMH4251

- UPPER** "No sew" black nylon mesh and premium synthetic upper.
- OUTSOLE** Cement construction with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU strobrel pad with Insite® Technology footbed.
FastDry® technology wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's Comfort Low Work Hiker

Steel Toe - CM03251

- UPPER** "No sew" black nylon mesh and premium synthetic upper.
- OUTSOLE** Cement construction with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU strobrel pad with Insite® Technology footbed.
FastDry® technology wicks away sweat.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15





carhartt®

THE BOOTS THAT BUILD AMERICA ARE
**BUILT IN
AMERICA**



MADE IN THE USA OF US AND IMPORTED PARTS



FLAG LACE KEEPER
FREE WITH EVERY
PAIR OF BOOTS

Storm Defender® waterproof keeps feet dry but lets them breathe

FastDry® lining wicks away sweat

Cushion comfort foam footbeds for all day comfort

POLYURETHANE OUTSOLES

OIL, CHEMICAL AND SLIP RESISTANT

SHALLOW LUGS

RELEASE MUD AND DIRT

| ENVIRONMENT | GOOD | BETTER | BEST |
|----------------------------|-------------|---------------|-------------|
| OIL RESISTANCE | | | ● |
| CHEMICAL RESISTANCE | | | ● |
| ABRASION RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.
Polyurethane outsoles are not tested for heat resistance.

Men's 6-Inch Waterproof Work Boot

Composite Toe - CMZ6340

Non-Safety - CMZ6040

UPPER Brown oil tanned leather.

OUTSOLE Direct attached polyurethane outsole.

FEATURES FastDry® technology lining wicks away sweat.
Storm Defender® waterproof breathable membrane.
PU with foam cushion insoles.
Made in the USA of US and imported parts.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 8-Inch Waterproof Work Boot

Composite Toe - CMZ8340

Non-Safety - CMZ8040

UPPER Brown oil tanned leather.

OUTSOLE Direct attached polyurethane outsole.

FEATURES FastDry® technology lining wicks away sweat.
Storm Defender® waterproof breathable membrane.
PU with foam cushion insoles.
Made in the USA of US and imported parts.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



CLASSIC WELT BOOTS

TOUGH JOBS CALL FOR TOUGH BOOTS

Storm Defender® waterproof styles keeps feet dry but lets them breathe

FastDry® lining wicks away sweat

Cushion comfort foam footbeds for all day comfort





CARHARTT RUBBER OUTSOLE

DURABLE FOR ANYTHING THE WEATHER THROWS AT YOU

LADDER LOCK GRIPS WITH REINFORCED STEEL SHANK

90 DEGREE HEELS ARE PERFECT FOR CLIMBING

OPEN EDGE MUD RELEASE LUGS

FOR TRACTION

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | | ● |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.

CLASSIC WELT WORK BOOTS



Men's 6-Inch Work Boot

Steel Toe - CMW6274
Non-Safety - CMW6174

- UPPER** Brown oil tanned leather.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** FastDry® technology lining wicks away sweat.
PU strobel pad with PU cushion insoles.
Padded collar and comfort tongue.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



FASTDRY
LINING



CUSHION
COMFORT
INSOLE



RUBBER
OUTSOLE



ELECTRICAL
HAZARD



Men's 6-Inch Waterproof Work Boot

Steel Toe - CMW6264

- UPPER** Brown oil tanned leather.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** FastDry® technology wicks away sweat.
PU strobel pad with PU cushion insoles.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



STORM
DEFENDER



FASTDRY
LINING



CUSHION
COMFORT
INSOLE



RUBBER
OUTSOLE



ELECTRICAL
HAZARD

CLASSIC WELT WORK BOOTS

Men's 6-Inch Waterproof Work Boot

Steel Toe - CMW6297
Non-Safety - CMW6197

- UPPER** Brown oil tanned leather.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** FastDry® technology wicks away sweat.
PU strobrel pad with PU cushion insoles.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



STORM
DEFENDER



FASTDRY
LINING



CUSHION
COMFORT
INSOLE



RUBBER
OUTSOLE



ELECTRICAL
HAZARD



Men's 6-Inch Waterproof Work Boot

Non-Safety - CMW6190

- UPPER** Brown oil tanned leather.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** FastDry® technology wicks away sweat.
PU strobrel pad with PU cushion insoles.
Storm Defender® waterproof breathable membrane.
Imported.

Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



STORM
DEFENDER



FASTDRY
LINING



CUSHION
COMFORT
INSOLE



RUBBER
OUTSOLE



ELECTRICAL
HAZARD



Men's 10-Inch Waterproof Pull On Boot

Nano Composite Toe - CMP1453
Non-Safety - CMP1053

- UPPER** Brown oil tanned leather and suede.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** FastDry® technology wicks away sweat.
PU strobrel pad with Insite® technology footbed.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



STORM
DEFENDER



FASTDRY
LINING



INSITE
FOOTBED



RUBBER
OUTSOLE



ELECTRICAL
HAZARD



WEDGE BOOTS BUILT FOR WORKING ON YOUR FEET

Storm Defender® waterproof keeps feet dry but lets them breathe

FastDry® lining wicks away sweat

Cushion comfort foam footbeds for all day comfort

CARHARTT WEDGE OUTSOLE

PROVIDES MAXIMUM SURFACE CONTACT

DUAL DENSITY RUBBER

MAXIMUM DURABILITY AND SLIP RESISTANCE

SHALLOW LUGS

RELEASE MUD AND DIRT

| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | | ● | |
| HEAT RESISTANCE | | ● | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.

WEDGE BOOTS

Men's 6-Inch Waterproof Wedge Boot

Non-Safety - CMW6191

- UPPER** Black oil tanned leather.
- OUTSOLE** Goodyear welt construction with dual density Carhartt rubber outsole.
- FEATURES** PU strobrel pad with PU cushion insoles.
Storm Defender® waterproof breathable membrane.
Imported.

Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 6-Inch Waterproof Wedge Boot

Steel Toe - CMW6275
Non-Safety - CMW6175

- UPPER** Tan oil tanned leather.
- OUTSOLE** Goodyear welt construction with dual density Carhartt rubber outsole.
- FEATURES** PU strobrel pad with PU cushion insoles.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 6-Inch Waterproof Wedge Boot

Steel Toe - CMW6295
Non-Safety - CMW6095

- UPPER** Brown oil tanned leather.
- OUTSOLE** Goodyear welt construction with dual density Carhartt rubber outsole.
- FEATURES** PU strobrel pad with PU cushion insoles.
Storm Defender® waterproof breathable membrane.
Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



ROMEOS AND WORK OXFORDS



Men's 4-Inch Waterproof Romeo

Steel Toe - CMS4200
Non-Safety - CMS4100

- UPPER** Brown oil tanned leather with twin gore openings.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** PU strobrel pad with PU cushion insoles. Storm Defender® waterproof breathable foot construction. Imported.

Safety Toe ASTM F2413-18 EH, Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's Waterproof Oxford Romeo

Non-Safety - CMS4190

- UPPER** Dark brown oil tanned leather with Neoprene stretch ankle.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** PU strobrel pad with PU cushion insoles. Storm Defender® waterproof breathable foot construction. Imported.

Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 7-12, 13, 14, 15



Men's Waterproof Oxford Romeo

Non-Safety - CMS4191

- UPPER** Black oil tanned leather with Neoprene stretch ankle.
- OUTSOLE** Goodyear welt construction with Carhartt rubber outsole.
- FEATURES** PU strobrel pad with PU cushion insoles. Storm Defender® waterproof breathable foot construction. Imported.

Soft Toe ASTM F2892-18 EH

SIZES MEDIUM 8-12, 13, 14
WIDE 8-12, 13, 14, 15



| ENVIRONMENT | GOOD | BETTER | BEST |
|---------------------|------|--------|------|
| OIL RESISTANCE | | ● | |
| CHEMICAL RESISTANCE | | ● | |
| ABRASION RESISTANCE | ● | | |
| HEAT RESISTANCE | ● | | |
| SLIP RESISTANCE | | ● | |

Performance chart is suggested for the intended environment.

CASUAL WEDGE BOOTS

Men's 4-Inch Lightweight Wedge Boot

Non-Safety - CMX4023

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement constructed with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU with foam cushion insoles.
FastDry® technology lining wicks away sweat.
Imported.
- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15



Men's 4-Inch Lightweight Wedge Chukka

Non-Safety - CMX4033

- UPPER** Brown oil tanned leather.
- OUTSOLE** Cement Constructed with Carhartt rubber outsole and CMEVA midsole.
- FEATURES** PU with foam cushion insoles.
FastDry® technology lining wicks away sweat.
Imported
- SIZES** **MEDIUM** 8-12, 13, 14
WIDE 8-12, 13, 14, 15





WOMEN'S BOOTS

OUTWORK MISCONCEPTIONS

Women's specific fit and sizing

Storm Defender® waterproof styles keeps feet dry but lets them breathe

Cushion comfort foam footbeds for all day comfort



ICS Shoes
Voice: (877) 553-5544
Email: info@icsShoes.com
Website: www.icsShoes.com