

A close-up photograph of a brown leather boot. The boot features a circular embossed logo with the word 'HOSS' in the center. A small metal tag on the side of the boot reads 'WATERPROOF'. The boot is set against a background of blurred autumn leaves.

HOSS

BOOT COMPANY

2021

BUYER'S GUIDE



ICS Shoes Voice: (877) 553-5544 Email: info@icsShoes.com Website: www.icsShoes.com

#THISISMYHOSS

ABOUT US

HOSS Boot Company was founded with the belief that hard-working men and women want more choices when it comes to selecting footwear for work. Our carefully crafted work boots and work shoes use the best materials possible to keep you safe while on the job without sacrificing comfort.

With more than three decades in the work footwear industry, the founders of HOSS Boot Company know a thing or two about what men and women want in a work boot. After hearing for years that workers want their work footwear to be more comfortable, HOSS Boot Company set out to develop a complete line of work boots and work shoes that feature a wider safety toe box designed to give you more comfort on the job.

We use the best materials available for your dollar – never compromising on safety. From construction to heavy industrial, our comfortable work boots and shoes are available with several safety toe types so you can select what performs best for your work environment.

Our goal is to build long term relationships with our retail partners resulting in a brand customers come back for.

Don Colbert
President, HOSS Boot Company



ICS Shoes
Voice: (877) 553-5544
Email: info@icsShoes.com
Website: www.icsShoes.com

HOSS ICON GUIDE

ALL SAFETY FOOTWEAR PRODUCED BY HOSS BOOT COMPANY

MEETS OR EXCEEDS ASTM F2413-18 STANDARDS



Aluminum toes are made of lightweight materials and tend to be about 30 to 50 percent lighter than steel. Toe boxes provide the same level of safety as steel offer a bit more room than composite since aluminum is thinner than composite.



Composite toes contain non-metallic safety toe caps and are light. They are ideal for those working in electrical environments. They do not conduct heat or cold and are good for work in extreme high or low temperatures.



Steel safety toes are the industry standard and have been for years. Steel toes provide protection from falling objects and equipment.



MetGuard™ is a shield made with XRD® Impact Protection technology. It overlays the toe box and runs to the top of the instep, providing armor-like protection for the foot.



HOSS uses membrane technology from HyDry® and others. Our boots are designed to resist water in wet situations as high as the membrane goes. Wear these with confidence that your feet will stay dry and comfortable.



Our flexible puncture resistant plate allows full sole coverage, as well as greater movement. This midsole plate is designed to reduce the hazards of puncture wounds caused by sharp objects penetrating the outsole.



HOSS uses 3M Thinsulate® insulation. Insulation can come in 200 grams and up. This is used in cold temperatures. Whether working outdoors or in a freezer, 3M Thinsulate helps keep your feet warm.



Our outsoles marked slip resistant have been tested and meet or surpass industrial standards. Slip resistance has many variables. These tests are to be used as a guide to help make your decision. Test results are available upon request.



Some of our boots include a memory foam insole that are constructed from soft polyurethane base with gel pressure point pads and a top layer of memory foam for all day comfort.



Some of our boots are made without a protective toe cap. These soft toe boots still may have other features such as, Electrical Hazard or Static Dissipation ratings and puncture plates in the sole.



Our Static Dissipating (SD) feature allows electric current to flow between you and the ground. HOSS SD boots meet all ASTM requirements.



Electrical Hazard (EH) boots must be able to withstand 18000 volts of electricity at 60 hertz for a whole minute without leakage of more than one milliampere under dry conditions. HOSS EH boots have been tested and pass this standard.

CONTENTS

HOSS STYLE GUIDE

	Style	ALUMINUM TOE	COMPOSITE TOE	STEEL TOE	MEY GUARD	PUNCTURE RESISTANT	INSULATED	FLAME RESISTANT	WATERPROOF	SOFT TOE	SLIP RESISTANT	ELECTRICAL HAZARD	Pg
HEAVY DUTY	Range 6" 61110 & 60108		●			●		●	●			●	6
	K-Tough 6" 62705		●			●		●	●			●	7
	Carson 6" 60413 & 60113		●					●				●	7
	Carson 8" 80414		●					●				●	7
	Bronc 6" 60145		●			●			●			●	8
	Traverse 6" 60260		●			●		●	●			●	8
	Chaser SD 53010		●									●	9
SD	Sparks SD 10167		●					●				●	9
	Slipknot SD 30202 & 30101		●					●				●	9
	Stomp 6" 60203	●						●	●			●	10
OBLIQUE TOE	Blocker 6" 60701 & 60102	●						●	●			●	10
	Eric Lo 50238 & 50138	●						●				●	11
	Eric Hi 50239	●						●				●	11
	Bronc 8" 80244		●			●	●		●			●	12
INSULATED	Hudson 60466		●			●	●	●	●			●	12
	Blast 60242		●				●	●	●			●	13
	Chiller 60700		●				●	●	●			●	13
	Tracker 50251		●						●			●	14
HIKERS	Tikaboo-UL 60406 & 60177		●					●	●			●	14
	Lorne 6" 60416 & 60117		●					●	●			●	15
	Lacy 6" Women's 70419 & 70120		●					●	●			●	15
	Watchman 6" 50172		●					●				●	16
	Trail 53023		●					●	●			●	16
	Frontier 50406		●			●		●	●			●	16
	Carter 60542 & 60160			●				●				●	17
	Adam 60421 & 60122			●				●	●			●	17
	Lily 6" Women's 70423 & 70165			●				●	●			●	18

CONTENTS

HOSS STYLE GUIDE

	Style	ALUMINUM TOE	COMPOSITE TOE	STEEL TOE	MEY GUARD	PUNCTURE RESISTANT	INSULATED	FLAME RESISTANT	WATERPROOF	SOFT TOE	SLIP RESISTANT	ELECTRICAL HAZARD	Pg
M	Prowl 6" 60140		●			●			●	●		●	18
	Express 13032 & 14431		●						●			●	19
ATHLETIC WORK	Express Women's 24533		●						●			●	19
	Reno 10229		●					●	●			●	20
	Reno Women's 20230		●					●	●			●	20
	Meteorite 30155		●					●				●	20
	Rim 50137		●					●				●	20
	Rim Fly 50155 & 50152		●					●				●	21
	Full Court 50147 & 50148		●					●				●	21
	Cross Cut 8" Kiltie 80715 & 80114		●					●	●			●	22
	Aspen Logger Pull On 90211		●					●	●			●	22
	Senoia Pull On 90408		●					●	●			●	23
LOGGERS & PULL ONS	Cartwright II Wellington 90215		●					●	●			●	24
	K-Tough Wellington 92707		●					●	●			●	24
	Jason 90236		●					●				●	24
	Range 61172							●	●	●		●	25
	Carson 6" 60414							●		●		●	25
SOFT TOE	Eric Hi 50250							●		●		●	25
	Lorne 6" 60473 & 60174							●	●	●		●	26
	Watchman 6" 51170							●		●		●	26
	Watchman 8" 80180							●		●		●	26
	Cartwright II Wellington 90216							●	●	●		●	27



HEAVY DUTY

RANGE 6"



LARGER SIZES

STYLE 61110 (BROWN) & 60108 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain Muddy River leather upper
- **HyDry®** waterproof membrane to keep you dry
- Ankle-busting protection with foam-backed rubber to absorb impact
- High-abrasion TPU molded toe and kick off heel
- Lenzi® puncture-resistant midsole
- Direct attach welt and Mxgrip slip and oil-resistant rubber outsole (Oily/wet slip test .35)
- Ergonomic insole with contoured soft rebound foam
- ASTM F2413-18 Electrical Hazard, PR
- Black Sizes 7-12, 13, 14 D and 2E | Brown Sizes 7-13, 14, 15, 16, 17 D and 2E (12.5 Available)



K-TOUGH 6"



LARGER SIZES

STYLE 62705 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain Muddy River leather upper
- **HyDry®** waterproof membrane to keep you dry
- Aramid fiber vamp that is abrasion, cut and chemical resistant designed to keep you safe in tough environments
- High-abrasion TPU molded toe and kick off heel
- Lenzi® puncture-resistant midsole
- Direct attach welt and Mxgrip slip- and oil-resistant rubber outsole (Oily/wet slip test .35)
- Ergonomic insole with contoured soft-rebound foam
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 7-12, 13, 14, 15, 16, 17 D, 2E, 4E and 6E



CARSON 6" & 8"



LARGER SIZES

STYLE 60413 (6" BROWN), 60113 (6" BLACK) & 80414 (8" BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain tumbled leather
- Suede tongue and padded comfort collar
- Direct attach welt and Mxgrip slip and oil-resistant rubber outsole (Oily/wet slip test .35)
- Ergonomic insole with contoured soft rebound foam
- ASTM F2413-18 Electrical Hazard
- 6" Brown Sizes 7-13, 14, 15, 16, 17 D, 2E, 4E and 6E (12.5 Available)
- 6" Black Sizes 8-12, 13, 14, 15, 16, 17 D, 4E and 6E
- 8" Sizes 7-12, 13, 14, 15, 16, 17 D and 2E



NEW COLOR

BRONC 6"



NEW
STYLE

STYLE 60145 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain leather upper
- Sueded tongue and soft leather collar
- Reflective side panel
- High-abrasion grooved leather
- Goodyear® 4x4 high abrasion outsole
- HyDry® waterproof membrane to keep you dry
- Lenzi® puncture-resistant midsole
- 100% non-metallic
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 8-12, 13, 14 D, 2E, 6E



TRAVERSE 6"



NEW
STYLE

STYLE 60260 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain tumbled success leather
- Sueded tongue and padded comfort collar
- Triple stitched black sand leather toe wrap
- New HOSS ergonomic insole with contoured PU and memory foam top layer
- HyDry® waterproof membrane to keep you dry
- Lenzi® puncture-resistant midsole
- Direct attach PU midsole with cushioning system
- Slip and oil resisting MXGrip rubber outsole
- ASTM F2413-18 Electrical Hazard
- Sizes 8-12, 13, 14 2E



STATIC DISSIPATIVE

CHASER SD



STYLE 53010 (GREY)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic
- Grooved leather and microfiber upper
- Rubber outsole with EVA midsole and TPU support system
- Soft rebound foam insole
- ASTM F2413-18 Static Dissipative 35
- Sizes 7-12, 13, 14 M and W



SPARKS SD



NEW
STYLE

STYLE 10167 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 12.8 oz. per shoe
- 100% Non-metallic
- Mesh and microfiber upper
- Lightweight slip- and oil-resistant outsole with EVA midsole
- Fast rebound super cushion insole
- Oily/wet slip test .46
- ASTM F2413-18 Static Dissipative 35
- Sizes 8-12, 13, 14 M and W



SLIPKNOT SD



STYLE 30202 (BROWN) & 30101 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain tumbled leather upper
- 100% Non-metallic
- Fast rebound super cushion insole
- Lightweight slip- and oil-resistant outsole with EVA midsole
- Oily/wet slip test .46
- ASTM F2413-18 Static Dissipative 35
- Sizes 7-12, 13, 14, 15 M and W
- Women's model available in Moxie Trades



OBLIQUE TOE

MADE FOR THE WIDE FOOT GUY

STOMP 6"



LARGER SIZES

STYLE 60203 (BROWN)

- ASTM F2413-18 Oblique aluminum safety toe for maximum toe room
- Full-grain crazy horse leather upper with high-abrasion toe
- **HyDry®** waterproof membrane to keep you dry
- Unique rebound compound midsole to give bounce in step
- Wedge sole for extra support and comfort
- Slip-resistant rubber sole (Oily/wet slip test .40)
- Cement construction
- Soft-rebound foam insole
- ASTM F2413-18 Electrical Hazard
- Sizes 7-12, 13, 14, 15, 16, 17 2E, 4E and 6E



BLOCKER 6"



STYLE 60701 (BROWN) & 60102 (BLACK)

- ASTM F2413-18 Oblique aluminum safety toe for maximum toe room
- Full-grain leather with high-abrasion toe
- **HyDry®** waterproof membrane to keep you dry
- Nylon side panels, collar and tongue
- Unique rebound compound midsole to give bounce in step
- Wedge sole for extra support and comfort
- Slip-resistant rubber sole (Oily/wet slip test .40)
- Cement construction
- Soft rebound foam insole
- ASTM F2413-18 Electrical Hazard
- Sizes 7-12, 13, 14 2E and 4E



ERIC LO



LARGER SIZES

STYLE 50238 (BROWN) & 50138 (BLACK)

- ASTM F2413-18 Oblique aluminum safety toe for maximum toe room
- Full-grain crazy horse leather and nylon upper with high-abrasion toe
- Soft-rebound foam insole
- Unique rebound compound midsole to give bounce in step
- Wedge sole for extra support and comfort
- Slip-resistant rubber sole (Oily/wet slip test .40)
- ASTM F2413-18 Electrical Hazard
- Black Sizes 7-12, 13, 14, 15, 16, 17 4E and 6E only
- Brown Sizes 7-12, 13, 14, 15, 16, 17 2E, 4E and 6E



ERIC HI



LARGER SIZES

STYLE 50239 (BROWN)

- ASTM F2413-18 Oblique aluminum safety toe for maximum toe room
- Full-grain crazy horse leather and nylon upper with high-abrasion toe
- Soft rebound foam insole
- Unique rebound compound midsole to give bounce in step
- Wedge sole for extra support and comfort
- Slip-resistant rubber sole (Oily/wet slip test .40)
- ASTM F2413-18 Electrical Hazard
- Sizes 7-12, 13, 14, 15, 16, 17 2E, 4E and 6E



INSULATED COLD STORAGE FOOTWEAR

BRONC 8"

STYLE 80244 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain success leather upper
- Grooved leather heel and side panel
- HOSS mud releasing outsole
- 800 gram ultra Thinsulate® for cold conditions
- **HyDry®** waterproof membrane to keep you dry
- Lenzi® puncture-resistant midsole
- Fast rebound super cushion insole
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 8-12, 13, 14 2E



HUDSON

STYLE 60466 (BROWN) NEW STYLE

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Soft full grain oily brown leather
- 400 gram ultra Thinsulate® for cold conditions
- Slip resistant rubber outsole with PU midsole
- **HyDry®** waterproof membrane to keep you dry
- Lenzi® puncture-resistant midsole
- Premium soft PU cushion insole with memory foam
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 8-12, 13, 14 D and 2E



CHILLER

STYLE 60700 (NAVY) NEW STYLE

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Nubuck leather upper with soft mesh tongue
- 200 gram ultra Thinsulate® for cold conditions
- Slip resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- **HyDry®** waterproof membrane to keep you dry
- EVA puncture-resistant midsole
- Premium soft PU cushion insole with memory foam to layer for instant comfort
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 8-12, 13, 14 D and 2E



BLAST

STYLE 60242 (BROWN) NEW STYLE

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain success leather upper
- 400 gram ultra Thinsulate® for cold conditions
- Slip resistant rubber outsole with special ice gripping plugs for slip resistance on multiple surfaces
- **HyDry®** waterproof membrane to keep you dry
- EVA puncture-resistant midsole
- Premium soft PU cushion insole with memory foam to layer for instant comfort
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 8-12, 13, 14, 15 D and 2E



SPECIAL ICE GRIPPING PLUGS FOR SLIP RESISTANCE ON MULTIPLE SURFACES

HIKERS

TRACKER

STYLE 50251 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic
- Full-grain crazy horse leather
- **HyDry®** waterproof membrane to keep you dry
- Rubber outsole with EVA mid sole
- TPU support system gives extra rigidity for extra support
- Soft-rebound foam insole
- ASTM F2413-18 Electrical Hazard
- Sizes 7-14 M and W (12.5 Available)



TIKABOO-UL **NEW STYLE**

STYLE 60406 (BROWN) & 60177 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain soft tumbled leather with ballistic nylon and PU upper
- Waterproof membrane to keep you dry
- Slip resistant EVA and rubber outsole
- 500 Grams per boot
- Fast rebound super cushion insole
- **Includes a second premium insole to customize fit and comfort**
- Oily/wet slip test .46
- ASTM F2413-18 Electrical Hazard
- Sizes 6-12, 13, 14, 15 M and W



LORNE 6"

STYLE 60416 (BROWN) & STYLE 60117 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain tumbled success leather upper
- Reflective lace loops and side panel
- Suede tongue and soft padded comfort collar
- **HyDry®** waterproof membrane to keep you dry
- Puncture-resistant midsole (Oily/wet slip test .55)
- Direct attach outsole for flexibility and durability
- Soft rebound foam insole
- ASTM F2413-18 Electrical Hazard
- Sizes 6-13, 14 D and 2E (12.5 Available)



LACY 6" WOMEN'S

STYLE 70419 (BROWN) & 70120 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain tumbled success leather
- Suede tongue, feminine-touch reflective lace collar, reflective lace loops and side panel
- **HyDry®** waterproof membrane to keep you dry
- Puncture-resistant midsole (Oily/wet slip test .55)
- Direct attach outsole for flexibility and durability
- Soft rebound foam insole
- ASTM F2413-18 Electrical Hazard
- Sizes 5-10, 11 B and D
- **Additional colors in Moxie Trades®**



WATCHMAN 6"



STYLE 50172 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain leather and heavy duty nylon upper
- Suede collar for comfort
- YKK Side zipper for easy on and off wear
- Direct attach outsole for flexibility
- ASTM F2413-18 Electrical Hazard
- Sizes 6-12, 13, 14, 15, M and W



SVP

TRAIL



STYLE 53023 (GREY)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Action leather and mesh upper
- Waterproof membrane to keep you dry
- Rubber outsole with aggressive tread
- Dual-density contoured insole
- ASTM F2413-18 Electrical Hazard
- Sizes 8-12, 13, 14 M and W



SVP

FRONTIER



STYLE 50406 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain crazy horse leather upper
- HyDry® waterproof membrane to keep you dry
- Lenzi® puncture resistant midsole
- Slip resistant rubber outsole with EVA midsole
- Rebound foam insole
- Oily/wet slip test .40
- ASTM F2413-18 Electrical Hazard
- Sizes 5, 6, 7-12, 13, 14, 15 M and W



SVP

CARTER



STYLE 60542 (BROWN) & 60160 (BLACK)

- ASTM F2413-18 Steel safety toe with extra depth for a roomier feel
- Full-grain leather upper with tough nylon side panels
- Direct attach dual density slip resistant outsole
- Oily/wet slip test .55
- Rebound foam insole
- ASTM F2413-18 Electrical Hazard
- Sizes 7-12, 13, 14 D and 2E



SVP

ADAM



STYLE 60421 (BROWN) & 60122 (BLACK)

- ASTM F2413-18 Steel safety toe with extra depth for a roomier feel
- Full-grain Crazy Horse leather upper
- Direct attach dual density slip resistant outsole
- HyDry® waterproof membrane to keep you dry
- Rebound foam insole
- Oily/wet slip test .55
- ASTM F2413-18 Electrical Hazard
- Sizes 7-12, 13, 14, 15 D and 2E



SVP

NEW
STYLE

LILY 6" WOMEN'S



STYLE 70423 (BROWN) & 70165 (BLACK)

- ASTM F2413-18 Steel safety toe with extra depth for a roomier feel
- Full-grain tumbled success leather
- Full-grain suede tongue and padded comfort collar
- **HyDry®** waterproof membrane to keep you safe and dry
- Direct attach dual density slip resistant outsole well suited for environments with oil, water and various chemicals on the floor (Oily/wet slip test .55)
- Rebound foam insole
- ASTM F2413-18 Electrical Hazard
- Sizes 5-10, 11 B and D



SVP



METGUARD

PROWL 6"



STYLE 60140 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic
- XRD Internal metatarsal guard
- Full grain tumbled leather upper
- **HyDry®** waterproof membrane to keep you dry
- Direct attach PU/PU resistant outsole
- Lenzi® puncture-resistant plate
- Oily/wet slip test .55
- ASTM F2413-18 Electrical Hazard, MT, PR
- Sizes 8-12, 13, 14 D and 2E



ATHLETIC WORK

EXPRESS



STYLE 13032 (GREY) & 14431 (BLACK/ROYAL)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic cement construction
- Microfiber leather and nylon mesh upper with printed overlay
- Unique blend of compounds gives bounce in step and absorbs shock
- Fiberglass shank for support
- Highly slip-resistant carbon rubber outsole (Oily/wet slip test .51)
- Fast rebound super cushion insole
- ASTM F2413-18 Electrical Hazard
- Extra matching laces in box
- Sizes 7-13, 14 M and W (Size 12.5 Available)



EXPRESS WOMEN'S



STYLE 24533 (BLACK/FUCHSIA)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic cement construction
- Microfiber leather and nylon mesh upper with printed overlay
- Unique blend of compounds gives bounce in step and absorbs shock
- Fiberglass shank for support
- Highly slip-resistant carbon rubber outsole
- Fast rebound super cushion insole
- Oily/wet slip test .51
- ASTM F2413-18 Electrical Hazard
- Extra matching laces in box
- Women's Sizes 4-10, 11 M and W



RENO



STYLE 10229 (MEN'S BLACK) & 20230 (WOMEN'S BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic cement construction
- Action leather and nylon mesh upper
- Waterproof membrane to keep you dry
- Fiberglass shank for support
- Highly slip-resistant carbon rubber outsole
- Fast rebound super cushion insole
- Oily/wet slip test .51
- ASTM F2413-18 Electrical Hazard
- Men's Sizes 7-13, 14, 15 M and W (12.5 Available)
- Women's Sizes 4-10 M and W



METEORITE



NEW
STYLE

STYLE 30155 (BLACK)

- Microfiber and mesh upper
- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Extremely light at 1.5 lbs. per pair
- Soft contoured rebound foam insole
- Slip resistant EVA and rubber outsole
- Oily/wet slip test .46
- ASTM F2413-18 Electrical Hazard
- Sizes 8-12, 13, 14 M and W



RIM



STYLE 50137 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic cement construction
- Action leather upper
- Fiberglass shank for support
- Slip-resistant rubber outsole
- Fast rebound super cushion insole
- Oily/wet slip test .39
- ASTM F2413-18 Electrical Hazard
- Sizes 7-13, 14, 15 M and W (12.5 Available)



RIM FLY



STYLE 50155 (BLACK/YELLOW) & 50152 (BLACK/RED)

- Extremely light safety toe basketball style shoe, weighing 2 lbs. per pair
- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100% Non-metallic cement construction
- TPU overlay and poly fly knit
- Unique blend of compounds gives bounce in step and absorbs shock
- Composite shank for support
- Slip-resistant rubber outsole (Oily/wet slip test .39)
- Fast rebound super cushion insole
- ASTM F2413-18 Electrical Hazard
- Sizes 7-13, 14, 15 M and W (12.5 Available)



FULL COURT



NEW
STYLE

STYLE 50147 (BLACK) & 50148 (NAVY)

- BLACK: Black patent leather upper and mesh upper
- NAVY: Black microfiber and navy mesh upper
- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Extremely light safety toe basketball style shoe, weighing 2 lbs. per pair
- Form fitting neoprene internal construction
- Easy on lace/zipper combination
- Fiberglass shank for stability
- Fast rebound super cushion insole
- Slip resistant rubber outsole (Oily/wet slip test .39)
- ASTM F2413-18 Electrical Hazard
- Sizes 7-12, 13, 14, 15 M and W



LOGGERS & PULL ONS

CROSS CUT 8" KILTIE



STYLE 80715 (BROWN) & 80114 (BLACK)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Crazy horse leather upper and removable kiltie
- HOSS logger high abrasion rubber outsole
- Non-metallic hardware
- Waterproof membrane to keep you dry
- Triple ridge steel shank for support when climbing
- Puncture-resistant midsole
- Contoured cushion insole
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 7-12, 13, 14, 15 D and 2E



KILTIE REMOVED



ASPEN LOGGER PULL ON



STYLE 90211 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Crazy horse leather upper
- HOSS rubber logger high abrasion outsole
- Waterproof membrane to keep you dry
- Triple ridge steel shank
- Puncture-resistant midsole
- Contoured cushion insole
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 7-12, 13, 14, 15 D and 2E



JASON



STYLE 90236

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full grain Roughneck leather designed for long wear
- Goodyear® Natural Path sole designed for high abrasion, oil resistance and long wear
- Ergonomic insole with contoured soft rebound foam
- Direct attach welt for durability
- Heavy duty self-locking brass zipper
- ASTM F2413-18 Electrical Hazard
- Sizes 7-12, 13, 14 M and W



SENOIA PULL ON



STYLE 90408

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- 100 % Non-metallic boot
- Full grain crazy horse leather
- 11" Shaft height
- **HyDry®** waterproof membrane to keep you dry
- Lenzi® puncture resistant midsole
- Slip-resistant direct attach PU outsole
- Oily/wet slip test .55
- Rebound foam insole
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 5, 6, 7-12, 13, 14 M and W



K-TOUGH WELLINGTON



STYLE 92707 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain Muddy River leather upper
- **HyDry®** waterproof membrane to keep you dry
- Aramid fiber vamp that is abrasion, cut and chemical resistant designed to keep you safe in tough environments, 10" Shaft height
- High-abrasion TPU molded toe
- Puncture-resistant midsole
- 100% Non-metallic construction
- Direct attach welt and rubber Mxgrip slip- and oil-resistant outsole (Oily/wet slip test .35)
- Soft-rebound foam insole
- ASTM F2413-18 Electrical Hazard, PR
- Sizes 7-12, 13, 14 D and 2E



CARTWRIGHT II WELLINGTON



LARGER SIZES

STYLE 90215 (BROWN)

- ASTM F2413-18 Composite safety toe with extra depth for a roomier feel
- Full-grain success leather
- 10" Shaft height
- **HyDry®** waterproof membrane to keep you dry
- Direct attach welt and rubber Mxgrip slip- and oil-resistant outsole (Oily/wet slip test .35)
- Ergonomic insole with contoured soft-rebound foam
- ASTM F2413-18 Electrical Hazard, PR
- High-abrasion TPU molded toe and heel kick
- Puncture-resistant midsole
- Sizes 7-12, 13, 14, 15, 16, 17 D, 2E, 4E and 6E



SOFT TOE

RANGE 6"



LARGER SIZES

STYLE 61172 (BROWN SOFT TOE)

- Toe box has extra depth for a roomier feel
- Full-grain Muddy River leather upper
- **HyDry®** waterproof membrane to keep you dry
- Ankle-busting protection with foam-backed rubber to absorb impact
- High-abrasion TPU molded toe and kick off heal
- Lenzi® puncture-resistant midsole
- Direct attach welt and rubber Mxgrip slip and oil-resistant outsole (Oily/wet slip test .35)
- Ergonomic insole with contoured soft rebound foam
- ASTM F2892-18 Electrical Hazard, PR
- Sizes 7-13, 14, 15, 16, 17 D and 2E



CARSON 6"



LARGER SIZES

STYLE 60414 (6" BROWN SOFT TOE)

- Toe box has extra depth for a roomier feel
- Full-grain tumbled success leather
- Suede tongue and padded comfort collar
- Direct attach welt and rubber Mxgrip slip and oil-resistant outsole (Oily/wet slip test .35)
- Ergonomic insole with contoured soft rebound foam
- ASTM F2892-18 Electrical Hazard
- Sizes 7-13, 14, 15, 16, 17, 18 D, 2E, 4E and 6E



ERIC HI



LARGER SIZES

STYLE 50250 (BROWN SOFT TOE)

- Oblique toe box for maximum toe room
- Full-grain crazy horse leather and nylon upper with high-abrasion toe
- Soft rebound foam-contoured insole
- Unique rebound compound midsole to give bounce in step
- Wedge sole for extra support and comfort
- Slip-resistant rubber sole
- Oily/wet slip test .40
- ASTM F2892-18 Electrical Hazard
- Sizes 7-12, 13, 14, 15, 16, 17 4E and 6E



LORNE 6"



STYLE 60473 (BROWN SOFT TOE) & STYLE 60174 (BLACK SOFT TOE)

- Toe box has extra depth for a roomier feel
- Full-grain tumbled success leather upper
- Reflective lace loops and side panel
- Suede tongue and padded comfort collar
- **HyDry®** waterproof membrane to keep you dry
- Puncture-resistant midsole (Oily/wet slip test .55)
- Rebound foam insole
- ASTM F2892-18 Electrical Hazard
- Sizes 7-12, 13, 14 D and 2E



WATCHMAN 6" & 8"



STYLE 51170 (6" BLACK SOFT TOE) & 80180 (8" BLACK SOFT TOE)

NEW
STYLE

- Toe box has extra depth for a roomier feel
- Full grain leather and heavy duty nylon upper
- Suede collar for comfort
- Side zipper for easy on and off wear
- Direct attach PU/PU outsole
- ASTM F2892-18 Electrical Hazard
- Sizes 6-12, 13, 14 M



CARTWRIGHT II WELLINGTON



STYLE 90216 (BROWN SOFT TOE)

LARGER
SIZES

- Toe box has extra depth for a roomier feel
- Full-grain success leather
- **HyDry®** waterproof membrane to keep you dry
- Direct attach welt and rubber Mxgrip slip- and oil-resistant outsole (Oily/wet slip test .35)
- Ergonomic insole with contoured soft-rebound foam
- High-abrasion TPU molded toe and heel kick
- 10" Shaft height
- Puncture-resistant midsole
- ASTM F2892-18 Electrical Hazard, PR
- Sizes 7-12, 13, 14, 15, 16, 17 D, 2E, 4E and 6E





ICS Shoes

Voice: (877) 553-5544

Email: info@icsShoes.com

Website: www.icsShoes.com